

# styr™

## HEAVY DUTY CONNECTING ROD



LARGEST CONNECTING ROD RANGE



CONNECTING ROD | BIELA | PLEUELSTANGE | KORBOWÓD | ШАТУН

**FORGED**



## HEAVY DUTY CONNECTING ROD

### INTRODUCTION

STYR is a India based manufacturing company having two Hi-Tech Plants producing all types of Connecting Rods. STYR has the largest Connecting Rods range. STYR is a Government of India approved Export House, ISO 9001:2015 Accredited and holding SONCAP Certification.

STYR is a preferred and reliable supplier to selected OEM's and also to more than 75 countries spread all over the world.

### CONNECTING ROD RANGE

Manufacturer Of All Types Of Heavy Duty Multi-Cylinder Connecting Rods.

Suitable For:

Tractors, Trucks, Automobiles, Industrial Engines, Compressors, Etc.

### DIFFERENT TYPES

- Fracture Type
- Parting Face Type
- Teeth Type
- Dowel Pin Type

### STEEL GRADE OF FORGED CONNECTING RODS

- CK45
- En8D
- 42CrMo4
- C70S6

### CONNECTING ROD MANUFACTURE

VMC + HMC PRODUCTION LINE

### QUALITY CONTROL

- All Connecting Rods Manufactured And Inspected Using Hi-Tech Quality Control Systems
- In-House Bruker Germany Spectrometer Unit For Material Analysis
- All Connecting Rods Magnaflexed
- STYR PLANTS : ISO 9001:2015 Accredited



### NEW CONNECTING ROD DEVELOPMENT

- Fully Equipped To Undertake Any New Connecting Rod Development.
- In-House Tool Room and Pattern Shop With CAD/CAM Facility.

### STYR WARRANTY

We guarantee that all connecting rods manufactured by us are free from all types of defects. In case of any fitment defect we confirm to replace the defective connecting rod free of cost. 'Styr' liability will be restricted only to the replacement of connecting rod and shall not include payment of any type of compensation towards any consequence(s) arising on account of fitment of any defective connecting rod.

### STYR DISCLAIMER

All Manufacturer's Symbols, Numbers And Descriptions Are Used In This Catalogue For Reference Purpose Only And Do Not Imply That Any Part Listed Is The Product Of These Manufacturer's.

**A**

Agrale Brazil	1
Alfa Romeo	1
Andoria	1
Armstrong Siddeley	1

**B**

Bedford	1
Belarus	1
BMC	1
BMW	1

**C**

Case / IH	3
Caterpillar	1
Chevrolet	1
Citroen	1
Compressor - Mix	1
Cummins	1

**D**

DAF	1
Daihatsu	2
David Brown	2
Detroit Diesel	2
Deutz	2
Diesel Engine - Mix	2

**E**

Eicher India	2
Escorts	2

**F**

Fiat	2
Fiat Tractor	2
Ford Car	2
Ford Tractor	2-3

**G**

General Motor	3
---------------	---

**H**

Hatz	3
Hino	3
Hyundai	3

**I**

IFA	3
Isuzu	3
Iveco	3

**J**

JCB	3
Jeep Willys	3
John Deere	4

**K**

Kamaz	4
Kia	4
Komatsu	4
Kubota Tractor	4
Kubota / Yanmar Marine	4

**L**

Lada	4
Landrover	4
Leyland	4
Lombardini	4-5

**M**

Mack	5
Man	5
Mazda	5
Mercedes	5
Mitsubishi	5
Mitsubishi - Power Tiller	5
MVM China	6
MWM	6

**N**

Navistar / IH	6
New Holland	6
Nissan	6

**O**

Opel	6
------	---

**P**

Paykan - Hillman	6
Perkins	6
Peugeot	6-7

**R**

Renault	7
Roa - Peugeot Iran	7
Romania - UTB	7
Russian Truck	7

**S**

Scania	7
Sino Truck (Howo)	7
Skoda	7
Steyr	7
Suzuki	7

**T**

Tata Car	7
Tata LCV	7
Tatra	7
Toyota	7-8

**U**

Ursus	8
-------	---

**V**

Valtra	8
Volkswagen	8
Volvo	8

**Y**

YWA Ruston	8
------------	---

**Z**

Zetor - Czechoslovakia	1
Zetor - ZTS	8

Styr SE Ref	Description
<b>AGRALE BRAZIL</b>	
4437	7007.004.003.99.0. M901D / M93 / M790. Pin 28 mm
4624	7006.004.020.00.4. M80 / M90 / M95. 30 mm
<b>ALFA ROMEO</b>	
4581	46472681/55198189. JEEP COMPASS. 2.0 MTJ 16V. 30 mm. Taper
<b>ANDORIA</b>	
4001	45 160145. S-320. 45 mm
<b>ARMSTRONG SIDDELEY</b>	
4300	38 mm
<b>BEDFORD</b>	
4002	J-4 220. 4 Cyl. 35 mm
4438	J-6 330. 6 Cyl. 35 mm
<b>BELARUS</b>	
4158	240. 1004100A. MTZ-80. 38 mm
4301	D-144. 1004100B. T-25. 35 mm
<b>BMC</b>	
4302	498 37D 3177. 35 mm
<b>BMW</b>	
4439	11240308859. 204D4. 30 mm. Taper
4585	11247807345. 2.0TD 16V. 32 mm. Taper
<b>CATERPILLAR</b>	
4003	8N3753 / 6N8011. 3204. 38.125 mm. Taper
4004	7E4728. 3208. 38.125 mm. Taper
4005	8N1984. 3304 / 3306. 38.100 mm. Taper
4006	8N1721. 3304 / 3306. 43.180 mm. Taper
4008	9Y6054. 3406 / 3606 / C-15 / C-16. 55 mm. Taper
4009	7E5996. 3606 / 3406 / C-15 / C-16. 50.80 mm. Taper
4211	2P0933. 3304 / 3306. 38.10 mm
4213	213-3193. 3114 / 3116 / 3126 / C-7. 40 mm. Taper
4233	S-52793. 3304 / 3306. 43.180 mm
4303	8N1726. 3406 / 3408 / 3412 / C-15 / C-16. 9 Degree Taper / 44mm B/E Thickness. 50.80 mm. Taper
4304	8N2486 / 8N1728 / 1727. 3406 / 3408 / 3412. C-15 / C-16. 9 Degree Taper / 42mm B/E Thickness. 50.80 mm. Taper
4305	7N-3231. 3406 / 3408 / 3412. C-15 / C-16. 6 Degree Taper / 42mm B/E Thickness. 50.80 mm. Taper
4306	517668. S6KT / 3066. 34 mm. Taper
4440	1540867. 3024C / 3024T / C2.2 / C2.2T. 28 mm
4441	2255453 (J) 359-0722. 3054 / 3056. 39.70 mm. Taper
4442	1566980. CAT3013. 28 mm
4443	224-3245. C-15/18. 60 mm. Taper
4444	2941747. S6KT NEW MODEL. 34 mm. Taper
4587	160-8199. C-9. 46 mm
4647	2255459 (F) 359-0719. 3054 / 3056. 39.70 mm. Taper
4648	2255458 (G) 359-0720. 3054 / 3056. 39.70 mm. Taper
4649	2255454 (H) 359-0721. 3054 / 3056. 39.70 mm. Taper

Styr SE Ref	Description
<b>CATERPILLAR</b>	
4650	2255451 (K) 359-0723. 3054 / 3056. 39.70 mm. Taper
4651	(L) 359-0724. 3054 / 3056. 39.70 mm. Taper
4652	4M40 / 307B. 30 mm. Taper
4653	545 MIT CAT. 23 mm
4654	3034. 30 mm
4655	3034. 30 mm
4656	3034. 30 mm
4657	331-0291 (RED). C-7.1 SERIES. 39.730 mm. Taper
4658	331-0290 (GREEN). C-7.1 SERIES. 39.730 mm. Taper
4659	331-0292 (BLUE). C-7.1 SERIES. 39.730 mm. Taper
<b>CHEVROLET</b>	
4307	CORSA 8 VALVE. 1.4/1.6/1.8N. 17.960 mm
<b>CITROEN</b>	
4184	1.5 TDCI. 26 mm. Taper
4321	Citroen. D-12111134. 1.4/1.6/1.8N. 20 mm
<b>COMPRESSOR - MIX</b>	
4217	352 130 0216. 97 MM PISTON. 16 mm
4218	140 40 850. ATLAS CAPCO VT-4. 42 mm
4219	140 40 851. ATLAS CAPCO VT-5. 42 mm
4220	352 130 0416. 92 MM PISTON. 16 mm
4221	403 130 2816 / 403 130 2216. 20 MM THICKNESS. 90 MM PISTON. 20 mm
4222	403 130 2716. 16 MM THICKNESS. 90 MM PISTON. 20 mm
4224	442 131 0017 / 0217 / 541 131 0117. 100 MM PISTON. 20 mm
<b>CUMMINS</b>	
4010	3901569 / 3901567 / 3942551 / 3942581. 6BTA / 4BT. 40 mm. Taper
4011	3901383 / 3901224 / 3924350 / 3971394. 6CT. 45 mm. Taper
4012	3013930 / 218808. NT-855. 50.825 mm. Taper
4013	3939405 / 3971212 / 3935349 / 4898808 / 4943979. 1SB / QSB. 40 mm. Taper
4210	3000791 / 3043911 / 3811995. KT-19. 61 mm. Taper
4309	4944887 / 4943979 / 3971393 / 3979724 / 4944670. L6 / L375. 45 mm. Taper
4445	4059429. ISX. 63.55 mm. Taper
4446	3939407. QSB B4.5. 34.50 mm. Taper
4588	3689108 / 23526078 / 23525604. ISX / N/M. 63.55 mm. Taper
<b>ZETOR - CZECHOSLOVAKIA</b>	
4157	CZECHOSLOVAKIA S-50. 40 mm
4606	CZECHOSLOVAKIA S-80. 40 mm
<b>DAF</b>	
4310	007 1617. 865. 48 mm
4589	007 160642 mm

Styr SE Ref	Description
<b>DAIHATSU</b>	
4014	13201 87304. D.F. 50/V22. DG pin KECIL. 26 mm
4015	13201 87309. DL/V-26. 28 mm
4016	13201 87104. S-89/HIJET. 18.960 mm
4017	CHARADE 1000CC. 18 mm
4238	13201 87209. S-10. 17.990 mm
4447	K 3 XENTIA. 1.3N. 18 mm
4448	SZ3. 1.5N. 18 mm
<b>DAVID BROWN</b>	
4239	K80043 / K961721. K-80-43 1210. 31.75 mm
<b>DIESEL ENGINE - MIX</b>	
4242	4095. EG-603. 30 mm
4244	H-20. EG-605. 21 mm
4245	SHP 9016. 19 mm
4249	ATC-H-2. 23 mm
4251	GH-510. 42 mm
4252	DF-455. 20 mm
4365	M-11 / NM-110 / NM-130. 28 mm
4371	NM-180. 32 mm
4372	ND-130. 28 mm
4373	M-9 / NM-90. 25 mm
<b>DEUTZ</b>	
4018	0415 0450 / 03371614. FL-912 / OLD KHD MODEL. 35 mm
4019	0415 2302. FL-913 / 912. 40 mm
4020	0223 2061 / 0415 0455. FL-912 / 913 / NEW TYPE / HEAVY. 35 mm
4021	0335 8847. FL-614. 40 mm
4022	0414 3222 / 0214 8853. FL-413 / BF6L-413. 45 mm
4023	0415 1493 / 2302 / 0223 4013. FL-511. 35 mm
4225	0223 2059 / 0423 7286. FL-912 / WITHOUT DOWEL PIN. 35 mm
4311	0415 2302. BF6L913 / DOWEL PIN TYPE. 40 mm
4312	0423 4177. BF6L913 / WITHOUT NOTCH. 40 mm
4313	FL1011. 26 mm
4314	0428 2869. BFL 1011. 30 mm
4315	0420 0465. BFM1013 / TCD2013. 42 mm
4436	04293425 / 04293426. 2012TCD. 40 mm. Taper
4449	0415 2302. FL912 / DOWEL PIN TYPE. 35 mm
4450	0420 9902. BFM 1013 / OLD MODEL. 42 mm
4451	1013 O/M. 42 mm
4452	0428 6691 / 04178994 / 0210 9018. FL 1011 / OLD MODEL. 26 mm
4453	0428 6691 / 0417 8999 / 0417 44100. BFL 1011 / OLD MODEL. 30 mm
4454	04294630 / 04290076. 2012 O/M. 38 mm. Taper
4455	0423 7287 / 0423 4180. 914 / WITHOUT NOTCH. 35 mm

Styr SE Ref	Description
<b>DEUTZ</b>	
4618	O4132010. TCD2.9L04. 30 mm. Taper
4619	O4123412. TCD3.6L04. 34 mm. Taper
<b>DETROIT DIESEL</b>	
4316	906 030 032. MB900. 42 mm. Taper
4317	460 030 0020. MB4000. 52 mm. Taper
4318	6V 53 TURBO.
4456	23525604. SERIES 60. 55.055 mm. Taper
<b>EICHER INDIA</b>	
4590	JUMBO. 34 mm. Taper
<b>ESCORTS</b>	
4457	AVL-70. 38 mm. Taper
4458	AVL-60 / F3.315. 38 mm. Taper
<b>FIAT</b>	
4319	SLENA. 1.7D. 26 mm
4320	73501229. 1.3MTJ. 23 mm. Taper
4393	2.5DJ5T. 34 mm. Taper
4459	504057276. 2.3TD / 16 VALVES. 31 mm. Taper
4460	894333119. 2.2HDI. 30 mm. Taper
4461	FIAT 1.2. 1.2/16 VALVE. 18 mm
4462	0603 E4. 2.2HDI. 30 mm. Taper
4532	55228871. 1.6JTD. 26 mm. Taper
4591	2.0MTJ 16V. 30 mm. Taper
4592	UNO DIESEL1.9D. 25 mm
<b>FIAT TRACTOR</b>	
4024	4775229 / 4637680. 8040. 32 mm
4025	4798181 / 4679221. 8040. 34 mm
4026	4780624. 8040.05. 38 mm
4171	98460411 / 98461751. 8030. 38 mm. Taper
<b>FORD CAR</b>	
4027	DIESEL / ENDURA / 1.8D. 26 mm
4028	984F6200BB / 1108267. 2.5D / Transit. 29 mm
4029	1S4Q6200BD. 1.8DCI / F9DA / F9DB. 28 mm. Taper
4030	7S6Q 6200 AC. 1.4TDCI / FIESTA / FIGO. 25 mm. Taper
4182	70993256. MAXION 2.5HS / EPR 2418. 30 mm. Taper
4323	5C106200AA. 2.4TDCI 16V / TRANSIT. 32 mm. Taper
4324	7M5N 6200 AA. FORD ZETEC / 1.3N. 18 mm
4325	WL-51-11-210. XM34 6200AC / 2.5D 12V / ENDEVOUR 2.5. 32 mm. Taper
4327	1S7Q6200CBA. 2.2HDI 16V. 30 mm. Taper
4463	1.8D / WITHOUT NOTCH. 26 mm
4464	7M5Q 6200 AD. 1.6HDI / ECO SPORTS. 26 mm. Taper
4465	1S7Q6200CAA. 2.2 / HDI. 30 mm. Taper
<b>FORD TRACTOR</b>	
4159	C7NN6200A. 3000 / 3600. 38.10 mm
4160	C9NN6200C. 9000. 41.275 mm

Styr SE Ref	Description
<b>FORD TRACTOR</b>	
4208	F2NN6200BA / 87801218 / 87801219. 6640 / 7740 / 8060 / 8160. 38.10 mm. Taper
4328	87810121 / 87803430. 8670. WITH OIL HOLE. 41.28 mm. Taper
4329	84144055 / 84144040. 44.46 mm. Taper
4466	FIADN6205B. MAJOR / DORSET / 2703C. 34.930 mm
4586	F2NN6200CA. 6640 / 7740. WITHOUT OIL HOLE. 41.280 mm. Taper
4627	RFGK 20625BA 184901037V
<b>GENERAL MOTOR</b>	
4330	90530169. GM510 / BLAZER / VECTRA / OMEGA 2.2 / 510 / BLAZER / 204. 20.995 mm
4331	18 mm
4332	24.846 mm
4333	24.846 mm
4467	AVALANCHE IMPALA. 24 mm
4468	TRAVERSE. 24 mm
<b>HATZ</b>	
4334	E-89. 30 mm
4335	E-89. 30 mm
4469	L. 36 mm
<b>HINO</b>	
4031	046 00147. H07C. 39 mm. Taper
4032	128 400 337. H07D. 37 mm
4033	128 400 338. H07D. 37 mm. Taper
4194	B-7014001. W06D. 35 mm. Taper
4336	F-3245011. W06D TURBO. 37 mm. Taper
4337	DOUTRO. 37 mm. Taper
4470	36 mm
<b>HYUNDAI</b>	
4338	ME-012265. 4D34 / 4D31 / FE-19 / MIGHTY / PS-120. 34 mm. Taper
4339	23511-29500. 1.5 CRDI D3EA. 28 mm. Taper
4340	MD371001. H-100 2.5TD. 32 mm. Taper
4341	23510-4200. H-100 2.5D. 29 mm
4471	240966. HD65 / 72 / 659-T. 36 mm. Taper
4472	235104A00 / 235104A400 / A500. D4CB. 33 mm. Taper
4636	D4CB Diesel. 28 mm. Taper
4637	23510.45903. 36 mm.
<b>IFA</b>	
4342	Mn2701073976. W-50. 45 mm
<b>CASE / IH</b>	
4235	3061214R91. BD-144 / 154. 28 mm
4236	Case 207. 31.730 mm
4237	SHORT STROKE. Case 207. 31.760 mm
4343	488923C91. D466 / 1066. 41.30 mm

Styr SE Ref	Description
<b>CASE / IH</b>	
4344	293198A1. 1004.4T. 38.10 mm. Taper
4345	2831298. D-104. 38 mm. Taper
<b>ISUZU</b>	
4036	FM-2967. 4BE1. 35 mm
4037	8943296920. FM-3457. I.NHR55 / NiCRSS. 4JB1 / 2.8D. 31 mm
4038	8943331190. FM-3197. I.Panther 25. 4JA1 / 2.5D. 31 mm
4039	894454844. FM-3240. C-223. 27 mm
4137	5122300391. C-240. 27 mm
4183	897135032 / 89713503251. NKR66. 4HF1 / 4HG1. 36 mm. Taper
4185	8980139623. 4JB1T / NKR.2.80. 34 mm
4186	8943996612. 4HE1 / NPR. 40 mm. Taper
4347	8973511690. 6VE1. 22 mm
4348	5122300540 / FM-2827. 4BC2 / 4BE1. 35 mm
4349	5122301041 / 1122301041. 4BD1 / 6BD1 / 3.9D. 35 mm. Taper
4350	5122300230. C-190. 27 mm
4473	1122301129 / FM3541. 6BG1. 35 mm. Taper
4474	4EE1. 1.7D. 25 mm
<b>IVECO</b>	
4042	4724375. 40 mm
4174	98452330. 8210.22 / 8210.42 / TURBO STAR. 50 mm. Taper
4195	61319082. 8460.21 / 8460.41. 48 mm. Taper
4196	4780624/98461751. DAILY. 38 mm. Taper
4197	500600007. 2.5L. 32 mm. Taper
4198	500352497. 2.8JTD. 32 mm. Taper
4199	4898808. TECTOR 4 / 6 CYL. 40 mm. Taper
4200	504057276. 35C10 / 310. 31 mm. Taper
4201	504113130 / 504059935504. 341496. 35C14 3.0. 36 mm. Taper
4351	4815044. 8280.02 / 8280.22 / 8280.42. 55 mm
4352	4670681. 8210.02. 48 mm
4353	4821454. 8365.25. 42 mm
4428	504099221 / 99472585 / 504099913 / 98461753. 1.887. 38 mm. Taper
4429	504099913. 1.872. 38 mm. Taper
4617	500346480. F2BE0642/0681. 1682/3681/3682. 46 mm. Taper
<b>JCB</b>	
4475	320 / 03114 / 3CK.14. 3CX / 4CX. 40 mm
4645	02 / 201975. 30.70 mm. Taper
<b>JEEP WILLYS</b>	
4354	CJ3B. 18 mm
4646	46472681/55198189. 2.0 MTJ 16V. 30 mm. Taper

Styr SE Ref	Description
<b>JOHN DEERE</b>	
4043	R80034 / RE21076 / TRE16495 / ER55978. 3.179D / 3029D / 6.359D. 34.950 mm
4044	RE58347 / R80032 / R58979 / RE16494 / R113612 / R122191 / RE42733. 3039T / 239T / 359T / 4039T. 41.275 mm
4045	T20007 / R814410 / RE19733 / EAT1800530.195 mm
4164	RE-505454 / 501072/R105100. 3029 / POWER TECH. 32 mm
4165	R500335 / RE114081 / RE50060841 mm. Taper
4166	RE500002 / 500000 / RE60272 / 12395935 mm. Taper
4167	R26047 / 66920 / AR70910 / AR86981. 38.138 mm
4169	AR93341 / R71074. 6.466T / 6.466A. 47 mm. Taper
4476	R526592 / R519583 / R507034. 47.655 mm. Taper
4477	R11634047.655 mm. Taper
4593	R116851 / R56187 / RE53716. 7210 / 7410 / 7510. 41.275 mm
4615	RE507799 / 501674. 2.9 L POWERTECH. 32 mm. Taper
<b>KAMAZ</b>	
4478	740.100404545 mm. Taper
<b>KIA</b>	
4046	PRIDE. 20 mm
4355	RIO. 20 mm
4479	OVNO1-11-210. JN/ JT. 30 mm
4660	23510-4A000 / 23510-4A500. D4CB. 33 mm. Taper
<b>KOMATSU</b>	
4047	6204-31-3101. 4D95. 30 mm
4048	6138-31-3104. S6D110. 40 mm. Taper
4052	6127-31-3100. S6D155. 60 mm
4214	6151-31-3101. S6D125. 48 mm. Taper
4215	6136-31-3101. S6D105. 40 mm
4356	6207-31-3101. S6D95. 30 mm. Taper
4425	6211-31-3100. S6D140. 52 mm. Taper
4457	6150-31-3100. S6D125. 48 mm
4480	6207-31-3500. S6D95L. 30 mm. Taper
4481	6731-31-3101. S6D102. 40 mm. Taper
4482	6737-32-3120. S6D102. 40 mm. Taper
4483	6215-31-3200LH. 12V140 / WA800-2. 52 mm. Taper
4484	6215-31-3100RH. 12V140 / WA800-2. 52 mm. Taper
4485	6207.77. S6D95. 30 mm. Taper
<b>KUBOTA TRACTOR</b>	
4357	15471-22012. D1302. 23 mm
4358	17311-22014. V2203 / D1703. 25 mm
4486	15694-22010. V1100. 20 mm
4487	1G700-22010. D905 / D1105. 22 mm
4488	1G687-22010. D902. 20 mm
4640	L-1 New Model. Center Distance 115.450 mm. Big Bore 43 mm. Small Pin 17.965 mm

Styr SE Ref	Description
<b>KUBOTA TRACTOR</b>	
4641	L-6 New Model. Center Distance 115.450 mm. Big Bore 43 mm. Small Pin 20.965 mm
<b>KUBOTA / YANMAR MARINE</b>	
4144	TS-50 / TH-3. 21 mm
4145	704200 23100. TS-60 / TH4. 23 mm
4146	TS-105 / TS-90 / TH-7. 28 mm
4147	704705-23100. TS-180 / 155 / TH-10 / 13. 32 mm
4148	TF55 / 65. 23 mm
4149	TH-5 / TS-70. 26 mm
4150	KND-180 / ER-100. 35 mm
4151	TS-230. 36 mm
4152	2T. 35 mm
4153	11154.2201. E-8 / KND80 / RD-85. 25 mm
4261	1154.2201. E-8 / KND-80. 25 mm
4417	705300 23100. TF-75 / 80 / 85. 26 mm
4418	KND-4. 26 mm
4419	ET95 / KND105. 27 mm
4420	RD-65 / RK-50 / 60. 24 mm
4421	TF-105 / 110 / 115. 28 mm
4572	TS190 / NF110-115. 36 mm
4573	TF110-115 / KND-513. 26 mm
4574	NN 7812. 21 mm
4575	E-1065. 37 mm
4582	GA 70. NM-180 / 146661. 25 mm
4584	TF-135 / 155. 32 mm
4594	GA 80. 25 mm
4628	Kubota. CR 384 IR (R) 55-2 (24). 30mm
4631	Yanmar. CR 384 IR (R) 55-2 (24). 30mm
<b>LADA</b>	
4181	Lada. 21.94. 22 mm
<b>LANDROVER</b>	
4057	25 mm
4059	30 mm
4060	30 mm
4489	ERR 2418. 2.5 TDI. 30 mm. Taper
4595	25.4 mm
<b>LEYLAND</b>	
4061	B-2000503. 370 / 400. 33 mm
4062	B-8213307. 402 / 411. 41.280 mm
<b>LOMBARDINI</b>	
4063	450 / 510. 23 mm
4064	520. 20 mm
4362	152 6020. 28 mm
4490	EURO-3. 20 mm
4491	25 mm



Styr SE Ref	Description
<b>LOMBARDINI</b>	
4596	0078.1220.3. Same Tractor. 35 mm
<b>MACK</b>	
4492	20876840. MP8. 58.035 mm. Taper
4493	20480803. MP7. 54 mm. Taper
4494	F5454267M. E7. 57.150 mm. Taper
<b>MAN</b>	
4065	51.02400.6815 / 51.02401.6277 / 51.02410.6221. D-0824 / D-0826. 40 mm
4066	51.02401.6065. D-2156 / 2356. 45 mm. Taper
4067	51.02401.6141 / 6214 / 6244 / 6264 / 6192 / 6281. D-2555 / 2556 / 2565 / 2566 / 2865 / 2866. 46 mm
4068	51.02401.6256 / 6271 / 6251. 51.02400.6031. D-2865 / 286. 46 mm. Taper
4070	51.02400.6023 / 51.02401.0207 / 6263 / 6268 / 6278 / 6292. D-0834 / D-0836. 42 mm. Taper
4070	51.02400.6023 / 51.02401.0207 / 6263 / 6268 / 6278 / 6292. D-0834 / D-0836. 42 mm. Taper
4161	51.02400.6044 / 6026 / 6033 / 6043. D-2866. 46 mm. Taper
4363	51.02400.6065. D-2156 / D-2356. 46 mm. Taper
4495	51.02400.6054 / 6030 / 6021. D-2876 / TGA -480. 52 mm. Taper
4496	51.02400.6066 / 6024 / 6120 / 6145. D-2066. 52 mm. Taper
4497	51.02400.6031 / 6050 / 6012. D-2865 / D-2866. 52 mm. Taper
4498	51.02400.6034 / 6013 / 6036 / 6041 / 6234 / 9198 / 9234. D-2842. 46 mm. Taper
4499	51.02400.6068 / 6045. D-0834 / D-0836. 44 mm. Taper
4500	51.02400.6145. D-2066 [NM]. 52 mm. Taper
4622	51.02400.6121. 50 mm. Taper
<b>MAZDA</b>	
4072	8171-11-210NA. 1600CC. 19.950 mm
4187	FE-1H-11-210A. 2000CC. 21.945 mm
4364	WL-51-11-210. 2500CC. 32 mm. Taper
4501	T-3500. 34 mm
4502	AMENITY. 32 mm
<b>MERCEDES</b>	
4073	366 030 2520 / 3520 / 2120 / 7120. 376 030 7220. OM-364 / OM-366. 36 mm
4074	366 030 3620 / 7320. 376 030 7320. OM-364A / OM-366A. 36 mm. Taper
4076	355 030 2820 / 1920. OM-355A / NEW MODEL. 48 mm
4077	355 030 0020. OM-355 / OLD MODEL. 48 mm
4078	447 030 0420. OM-447. 46 mm
4079	447 030 0320. OM-447. 46 mm. Taper
4080	403 030 01720 / 422 030 0420. OM-403. 46 mm
4081	442 030 0220. OM-442. 46 mm. Taper
4082	360 030 0120. OM-360. 42 mm

Styr SE Ref	Description
<b>MERCEDES</b>	
4083	441 030 0820. OM-441. 46 mm. Taper
4084	407 030 0620. OM-407. 46 mm
4085	541 030 0520. OM-501 / ACTROS. 52 mm. Taper
4086	542 030 0520. OM-502 / AXOR. 52 mm. Taper
4087	906 030 0320. OM-906 / ATEGO. 42 mm. Taper
4088	904 030 0320 / 906 030 0220. OM-904. 40 mm. Taper
4089	457 030 0120. OM-457. 52 mm. Taper
4179	646 030 0020. OM-611. 30 mm. Taper
4191	352 030 5720 / 4920 / 3920. OM-314 / OM-352. 36 mm
4192	646 030 4720 / 646 030 4420 / 611 030 0320. OM-611 / SPRINTER / FORCE MOTOR. 30 mm
4503	460 030 0020. OM-460. 52 mm. Taper
4504	906 030 0120. OM-924. 43 mm. Taper
4505	651 030 0020. OM-651 / 2.5D. 30 mm. Taper
4506	906 030 0920 / 1520 / 0820. OM-924 / OM-926. 44 mm. Taper
4507	472 030 0120. OM-472. 62 mm. Taper
4597	646 030 0120. OM-646 [EVO] SHOT STROKE. 30 mm. Taper
4612	906 030 1820. OM-906. 42 mm. Taper
4613	936 030 0420. OM-936. 46 mm. Taper
4614	642 030 4120. OM-642. 30 mm. Taper
4632	626 030 04000. OM 626. 30 mm
<b>MITSUBISHI</b>	
4090	ME012264. 4D31 / M.FE-114 / PS-100. 34 mm
4091	ME012265. 4D33 / 4D34 / M.FE119 / PS-120. 34 mm. Taper
4092	MD05006. M.L300 DSL. 4D56N. 29 mm
4093	4D16 FUJO / 6D16. 38 mm
4094	ME.304973. 4D16 / 6D16. 38 mm. Taper
4095	MD117080. 4G17 / M.T120SS. 18 mm
4193	ME240967. 4D34T / M.FE75 TURBO / PAJERO N/M 2.8. 36 mm. Taper
4366	32A19-00012. S4S. 30 mm
4368	MD371001. 4D56T. 32 mm. Taper
4370	L-300. 4G33. 19 mm
4508	COLT. T-120. 19 mm
4510	1115A343. L-200. 32 mm. Taper
4511	ME-101363. 4M40. 30 mm. Taper
4512	31A19-01023. S4L. 23 mm
4598	ME012250. 4D32. 34 mm. Taper
<b>MITSUBISHI - POWER TILLER</b>	
4623	MITSUBISHI. 19 mm
4662	MITSUBISHI. 28 mm
4663	KUBOTA POWER TILLER. 30 mm
4664	WATER COOL. 28 mm



Styr SE Ref	Description
<b>MVM CHINA</b>	
4513	MVM530-550-X33. 21 mm
<b>MWM</b>	
4096	922.501.500.077. D-225 / D-226 / D-229. 32 mm
4097	961.001,500,096. X10. 38 mm. Taper
4374	922.801.500.066. TD229. 35 mm
4375	940.801.500.016. 4.07TCE / 2.8. 35 mm. Taper
4376	940.701.500.056. 4.2L. 35 mm
<b>NAVISTAR / IH</b>	
4514	688 922 C1RX. DT466. 41.300 mm
<b>NEW HOLLAND</b>	
4254	8781218. 5640 / 6640 / 8160 / 8260. 38 mm. Taper
4377	5630 / 3630. 38 mm. Taper
4515	4895748 / 82831298 / 2831298 / E9NN6200BA. E9NN6200BA. 38 mm. Taper
4516	4821454. 8365.25. 42 mm.
4616	SBA 1150 26 212. TC29D / TC33D. 25 mm
<b>NISSAN</b>	
4100	12100-03G10. Z-24. 21 mm
4101	12100-P5100. H-20. 22 mm
4102	Z-24. 21 mm
4103	12100 26G12. KAZ4DE. 21 mm
4104	12100C8002. P-40. 21 mm
4264	12100-50K01. H25. 20 mm
4517	12100-53F0A. 21 mm
4518	12100-43901. TD25 / TD42. 30 mm
4519	12100-EB300. TD27. 28 mm. Taper
4520	ALLWYN NISSAN. 26 mm
<b>OPEL</b>	
4379	4416788. 2.5DCI. 31 mm. Taper
<b>PAYKAN - HILLMAN</b>	
4118	DELUX. 23.820 mm
4119	752218219. 1600CC[AVENGER]. 23.800 mm
<b>PERKINS</b>	
4105	ZZ90011 / 3637439M1 / M7BJ0052. 3.152 / 4.203 / 4.192. 31.760 mm
4107	ZZ90010 / 41152926 / 3637392M91 / 736386M91 / 3132910K91 / M7BJ0014. 3.152 / 4.203 / 3.144. 31.760 mm
4108	ZZ90009 / 3637034M91 / M7BJ0015 / 3132911K91. 6.354 / 4.248 / 4.236 / 4.212. 34.950 mm
4109	ZZ90013 / 4115C331 / 3637028M91. PHASER / 1004.4T / 1004.6T / TURBO. 38.10 mm. Taper
4110	ZZ90058. PHASER 1006.60 / TURBO DOWEL PIN. 38.10 mm. Taper
4381	ZZ90146 / 4115C511. PHASER 1006.60. 39.730 mm. Taper
4382	115026330. 403C-17 / 104-22 / 404C-22. 28 mm
4383	4115C335. 38.10 mm. Taper


Styr SE Ref	Description
<b>PERKINS</b>	
4384	4115C311 [F]. 1100 SERIES. 39.700 mm. Taper
4385	4115C312 [G]. 1100 SERIES. 39.700 mm. Taper
4386	4115C313 [H]. 1100 SERIES. 39.700 mm. Taper
4387	4115C314 [J]. 1100 SERIES. 39.700 mm. Taper
4388	4115C315 [K]. 1100 SERIES. 39.700 mm. Taper
4389	4115C316 [L]. 1100 SERIES. 39.700 mm. Taper
4390	115026340. 103.11. 21 mm
4391	115026251. 403C-15 / 403D-15. 28 mm
4522	4115C361 (R). 1100 SERIES. 39.700 mm. Taper
4523	4115C362 (O). 1100 SERIES. 39.700 mm. Taper
4524	4115C363 (W). 1100 SERIES. 39.700 mm. Taper
4525	4115C364 (G). 1100 SERIES. 39.700 mm. Taper
4526	4115C365 (P). 1100 SERIES. 39.700 mm. Taper
4527	ZZ90208 (D). 700 SERIES. 30 mm
4599	4115C366 (B). 1100 SERIES. 39.700 mm. Taper
4600	T406140 GRADE R [RED] C. 1100 SERIES. 39.730 mm. Taper
4601	T405440 GRADE G [GREEN] D. 1100 SERIES. 39.730 mm. Taper
4602	T406141 GRADE B [BLUE] B. 1100 SERIES. 39.730 mm. Taper
4607	4115C-334 (H) WHITE. 1100 SERIES. 39.723 mm. Taper
4608	4115C-335 (J) GREEN. 1100 SERIES. 39.723 mm. Taper
4609	4115C-336 (K) PURPLE. 1100 SERIES. 39.723 mm. Taper
4610	4115C-337 (L) BLUE. 1100 SERIES. 39.723 mm. Taper
4611	115026212. 843N / 843J. 25 mm
4642	ZZ90188. 38.10 mm
4643	ZZ90209 (F). 700 SERIES. 30 mm
4644	ZZ90207 (B). 700 SERIES. 30 mm
<b>PEUGEOT</b>	
4114	060311-P. 504. 23 mm
4115	60362. 1.8N / XU7. 21.950 mm
4116	2.0N / XU10. 21.950 mm
4117	60375. 1.4N / TU3 / 8V. 18 mm
4188	60386. 1.6N / TU5J4. 19.460 mm
4265	J9. XDPT3. 30 mm
4321	D12111134. 20 mm
4392	060377/DW-8. 1.9D / XUD9 / PARTNER. 25 mm
4393	0603.88/DJ5TD. 2.5TD. 34 mm. Taper
4394	60388. 1.4HDI / Peugeot DV4 TD / TED4. 25 mm. Taper
4395	DW12. 2.0HDI. 30 mm. Taper
4396	60365. XU10J4R. 21.970 mm
4397	0603 92. 1.6HDI / DV6T / 16V. 26 mm. Taper
4398	60390. DW10 / 2.0HDI. 28 mm. Taper
4528	0603 79. BOXER 2.5. 32 mm

Styr SE Ref	Description
<b>PEUGEOT</b>	
4529	603.82. 2.8. 32 mm. Taper
4530	DIESEL. TUD5. 23 mm
4531	603 97 / 98. 2.2. 30 mm. Taper
4533	DW12. 30 mm. Taper
4534	206 OLD MODEL. 1.4N. 18 mm
4535	0603 E4. 2.2. 30 mm. Taper
4603	EF7 [ SAMAND]. 1.7. 21 mm. Taper
4604	30 mm
<b>RENAULT</b>	
4120	7701461321. 2.1D Traffic. 28 mm
4121	7701465145. F8S / 1.9D. 24 mm
4122	2461492950. CM. 50 mm
4266	7701459433. 1400CC / R5 / R8. 17.955 mm
4399	7701478826. 2.5DCI / G9U. 31 mm. Taper
4400	7701475074. 1.5DCI / K9K / MICRA DIESEL / SUNNY DIESEL / DUSTER / SCALA / PULSE / TERRANO. 26 mm. Taper
4401	7701476250. 1.9TDI / F9Q. 28 mm. Taper
4536	70993256. 2.5/2.8 / ERR-2418. 30.165 mm
4537	2.8TD. 32 mm. Taper
4538	M9R / 2.0DCI / 16V. 30 mm. Taper
4539	K7M. K7M. 20 mm
4540	770 147 7831. M9R / 2.0DCI / 16V/KOLEO'S. 32 mm. Taper
4541	MEGANE. 1.6N. 20 mm
4542	MEGANE. 2.0N. 21 mm
4543	50 mm
4605	2.5 / S8U / S9U. 32 mm. Taper
4620	121004942R. M9T. 32 mm / Taper
4621	12100492R. M9T. 32 mm
4635	121006304R / 121000425R. R9M. 30 mm
<b>ROA - PEUGEOT IRAN</b>	
4380	ROA. 21 mm
4544	ROA SAAL. 21 mm
<b>ROMANIA - UTB</b>	
4123	10303015. UTB-650. 40 mm
4625	115.03.013. UTB-445/450. 32 mm. Straight
4626	2601.03.035. UTB-833. 34 mm. Straight
<b>RUSSIAN TRUCK</b>	
4206	236 1004045. B3. 50 mm
4207	75511 1004045 20. 52 mm. Taper
4416	58 mm. Taper
<b>SCANIA</b>	
4124	1305643. DS-11 / WITH OIL HOLE. 50 mm. Taper
4125	1403521. DS-11 / WITHOUT OIL HOLE. 50 mm. Taper
4126	1401729 / 1768416. DS-12 / DSC-12. 54 mm. Taper

Styr SE Ref	Description
<b>SCANIA</b>	
4431	1538036. DC9A. 54 mm. Taper
4432	1401815. DN-8. 50 mm. Taper
<b>SINO TRUCK (HOWO)</b>	
4256	615 0003 0009. STEYR. 50 mm. Taper
<b>SKODA</b>	
4545	OCTAVIA. 1.9TDI. 26 mm
4546	LAURA. 2.0TDI. 26 mm. Taper
<b>STEYR</b>	
4127	4070030012. 768. 35 mm
<b>SUZUKI</b>	
4128	12161-77300. 12160-73010. ST-100 / T-3 / T5. 16 mm
4129	12160-75000. G13 / ST-90 / Futara 1-3. 19 mm
4267	12161-77500. S.Futara 1.5 4.15. 19 mm
<b>TATA CAR</b>	
4403	206 / SUMO. 25 mm
4404	INDICA / ACE. 23 mm
4405	SAFARI. 28 mm
4406	INDIGO. 25 mm. Taper
4407	MANZA / VISTA. 1.3MTJ. 23 mm. Taper
4547	ACE CNG. 18.030 mm
<b>TATA LCV</b>	
4548	2523 0315 0120. 1210 SE. 32 mm
4549	1210D. 30 mm
4550	1210SE [NEW TYPE]. 32 mm
4551	2525 0315 0125. 1612. 36 mm
4552	2525 0315 0170. 1312 / 1516. 36 mm
4553	1613 NEW MODEL. 36 mm
4554	407 / 608. 36 mm
4661	1210. 32 mm. Teeth Type
4633	TATA 497 F. 36 mm.
<b>TATRA</b>	
4408	341-101400. 45 mm
<b>TOYOTA</b>	
4130	13201 35020. 22 mm
4131	13201 59057. 34 mm
4132	13201 59105 / 13201 59106. 3L / 2.8D / 3VEE. 29 mm. Taper
4133	13201 69125. ACV-10. 21 mm
4134	13201 79215. 24 mm
4135	13201 19145. 7K / KF70. 20 mm
4136	13201 13010. 5K / T.KF50. 18 mm
4139	13201 59095. 2L / QUALIS. 27 mm. Taper
4140	13201 59145. 3B 14B RENO. 32 mm. Taper
4268	13201 59049. B460.8. 29 mm
4269	13201 31010. RH-11. 20 mm

Styr SE Ref	Description
<b>TOYOTA</b>	
4270	13201 78030. WO4D / RENO SAURAS. 37 mm. Taper
4271	13201 17010. 1HZ / LAND CRUSER. 29 mm
4272	13201 29125. AVC 30. 24 mm
4274	13201 78310. 1.DZ. 27 mm
4410	13201 30050. 1KD / 2KD (INNOVA). 34 mm. Taper
4555	13201-B1021. 1.3N AVANZA. 18 mm
4556	352. XENIA / 1.5N AVANZA. 18 mm
4557	13201 79045. 4Y. 22 mm
4638	ETIOS DIESEL. 27 mm.
<b>URSUS</b>	
4141	42032101. C-330. 38 mm
4423	69010389 / 46503230. 2011 / C-360. 35 mm
4424	89003529. Z.8001 / 2. C-385. Z.8401 / 8602 / 8701. 40 mm
4558	C.20402. 40 mm
4559	T60013026 / 118 Stroke. 35 mm
4560	110 Stroke. ACE. 35 mm
<b>VALTRA</b>	
4561	836666430. F. 40 mm
4562	836666431. V. 40 mm
4563	836666432. X. 40 mm
4564	836666433. Y. 40 mm
4565	836666434. W. 40 mm
4566	836666435. Z. 40 mm
4567	836666436. G. 40 mm
<b>VOLKSWAGEN</b>	
4175	011 H011. 1.0N. AP 1.0 8 VALVES. 17 mm
4176	026198401A / 027198401. AP 1.6 N 8VALVES. 20 mm
4177	45198401A. POLO / 1.4N. 17 mm
4189	044198401A / 0281198401E. POLO / 1.9D. 24 mm
4190	036198401. 1.4N. 17 mm
4275	038 105 401 G. 1.9TDI. 8 VALVES / JETTA. 26 mm. Taper
4411	028198401E. 1.6N. 24 mm
4412	038 105 401 J. GOLD PASAT / POLO 2.0TDI / 8V / 16V. 26 mm
4413	311.105.401B. 1.6 NBEETLE. 22 mm
4569	011 H011. FRACTURE TYPE. 17 mm
4570	1.9TDI. GOLF 8 VALVES. 26 mm. Taper
4571	03L 105 401 A. VENTO / 1.6. 26 mm. Taper
<b>VOLVO</b>	
4142	470424. TD-120 / 121 / 122. 55 mm
4143	1545299. TD-100 / 101. 51.750 mm
4162	20412200 / 2160343. D-12A / FH-12. 55 mm. Taper
4203	478437. TD-120 / N-12 O/M. 55 mm

Styr SE Ref	Description
<b>VOLVO</b>	
4204	422706. TD-102 / TD-103 / D-10A / OLD MODEL. 51.750 mm
4205	1547124 / 20412200. D-12A. 55 mm. Taper
4414	NL-10. 52 mm
4415	NL-10. 52 mm. Taper
4433	20876840. D-13. 58 mm. Taper
4434	20585982. D-7. 42 mm
4435	20480806. D-11. 54 mm. Taper
4639	20882905. D4D / D6D. 40 mm. Taper
<b>YWA RUSTON</b>	
4422	42 mm
<b>ZETOR - ZTS</b>	
4154	69010389 / 46503230. 2011 / C-360. 35 mm
4155	71010309. 5911 / 7011 / 7045. 35 mm
4209	89003529. Z.8001/2. C-385. Z.8401 / 8602 / 8701. 40 mm
4560	110 Stroke. ACE. 35 mm
4576	C.20402. 40 mm
4577	T60013026 / 118 Stroke. 35 mm
4578	78003009. New Model / ZT. 40 mm





**DE**



**MF-P**



**CA**



**CU**



**352**



**355N**

**STYR EXPORTS**

**STYR - CORPORATE OFFICE :**

# 103, Imperial Palace, 45 Telly Park Road,  
Andheri (East) Mumbai-400 069, India.  
Tel: +91-22-26822482, 26833162, 26833163  
E-Mail: styrexports@gmail.com

**STYR - CONNECTING ROD PLANT :**

165/1, Kakti Industrial Area, Kakti,  
Belgaum - 591 113, India  
Tel : +91-831-2470681/ 2473237  
Telefax : +91-831-2473736

URL : [www.styrgroup.com](http://www.styrgroup.com)



**HEAVY DUTY CONNECTING ROD**



**ISO 9001 : 2015  
ACCREDITED**